

Red Dragon® ECO 5 pump - 200W - Rotor UPDATE 2024



A hexagon screw driver is needed, after disassembling all parts come together in the following order



Bring in the smaller O-ring at the pump head of the Red Dragon® ECO 5 with 200W, use silicone grease



Install the rotor of the Red Dragon® 5 ECO at the right position. CAREFULLY with the strong magnet




Use the bigger/thicker O-ring between baseplate and motor block. Press the rotor into the motor block



The result should be look like this

Red Dragon® ECO 5 pump - 200W - Rotor UPDATE 2024



Don't tighten the screws too much
Very important: Tighten the screws loosely crossed over and then fix them semi-solidly (hand tight)

In the end, should be look like this



Royal Exclusiv

Royal Exclusiv Aquarien-Anlagenbau Christian Walter GmbH & Co. KG
Vorgebirgsstr. 28 // 50389 Wesseling // Germany

Fon +49(0)2236/88055-0 // Fax +49(0)2236/88055-20
info@royal-exclusiv.de // www.royal-exclusiv.de



Since 1986



Red Dragon® ECO 5 pump - 130 & 200W - TOUCH SCREEN LOCK / UNLOCK



Unlock: Hold the on/off button for longer than 3 sec.



Afterward you could regulate the pump power up and down



Lock: Hold the on/off button for longer than 3 sec.

For more information, please visit: www.royal-exclusiv.de.
Simply enter the part number or name into the search box or email: info@royal-exclusiv.de.
All information subject to change. We try our best, but printing errors reserved.